

med Services Technical Information Agency

AD

19594

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO LIABILITY OR RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY ANY PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON 2 OHIO

UNCLASSIFIED

19594
ASTA
OFFICE OF NAVAL RESEARCH

Contract N7onr-35810

NR-360-003

Technical Report No. 19

**THE RESPONSE OF A SUBMERGED CYLINDRICAL SHELL
TO AN AXIALLY PROPAGATING ACOUSTIC WAVE**

by

G. F. Carrier

GRADUATE DIVISION OF APPLIED MATHEMATICS

BROWN UNIVERSITY

PROVIDENCE, R. I.

October, 1953

The Response of a Submerged Cylindrical Shell
to an Axially Propagating Acoustic Wave

By G. F. Carrier, Harvard University

1. Introduction. In this report, we shall discuss the dynamic response of a submerged elastic cylindrical shell when a plane acoustic wave propagates relative to the shell as indicated in Fig. 1. We shall be concerned only with the deformation and stress in certain localities where these quantities are large. The results are found in a very concise form and are of more general applicability than is implied by the title.
2. The interaction problem. The motion of the shell indicated in Fig. 1 is governed by the usual conservation laws as applied to the shell and to the surrounding fluid. For axially symmetric deformations of the shell, the conservation of momentum requirements imply that

$$EIu^{IV} + \sigma hu'' + \rho hu_{tt} - \rho Iu_{tt}'' + (Eh/R^2)u = -p(R, x, t). \quad (2.1)$$

Here, E , ρ , h , R , u are, respectively, the elastic modulus, density, thickness, radius, and radial displacement of the shell; σ is the average over the shell thickness of the axial compressive stress [i.e.,

$$\sigma = - \int_{R-h/2}^{R+h/2} (\sigma_x/h) dr], \quad I = h^3/12,$$

p is the externally applied over-pressure, and primes denote differentiation with regard to the axial coordinate x . It is to

be noted that we have retained the rotational inertia terms in the bending theory. Our object, in doing so, is to demonstrate that this term has no appreciable effect on the results even in high-speed impact problems. It should also be noted that these equations are pertinent to an unstiffened shell. We shall consider the stiffened shell in a later section.

The pressure p is associated with the acoustic field surrounding the shell. This consists of a contribution from the incident wave plus that associated with the shell motion. Although we could readily formulate the problem in a form which accounts for the detailed acoustic field, it is convenient to approximate $p(R, x, t)$ by

$$p = p_0 + \rho_f a u_t(x, t) \quad (2.2)$$

where ρ_f is the fluid density, a the fluid acoustic speed, and p_0 is the overpressure in the incident acoustic wave. The justification of this approximate formula is found in the fact that the pressure associated with the motion of a plane obstacle normal to itself is $\rho_f a F(t)$, where $F(t)$ is the normal velocity.

The equation governing $u(x, t)$ then becomes

$$EIu^{IV} + \sigma hu'' + \rho h u_{tt} - \rho I u_{tt}'' + \rho_f a u_t + (Eh/R^2)u = -p_0 S(t - x/a) \quad (2.3)$$

where $S(t - x/a)$ is the conventional step function.

We shall be interested in two basic solutions of this equation. The first is that for which $u(x, t) \equiv w(t - x/a)$.

This function must satisfy the ordinary differential equation
(where $\xi = t - x/a$)

$$\begin{aligned} \left(\frac{EI}{a^4} - \frac{\rho I}{a^2}\right)w^{IV} + h\left(\rho + \frac{\sigma}{a^2}\right)w'' + \rho_f a w' \\ + \left(\frac{Eh}{R^2}\right)w = -p_0 S(\xi). \end{aligned} \quad (2.4)$$

The desired solution has the form

$$w = \begin{cases} -\left(\frac{p_0 R^2}{Eh}\right) [1 + a_1 e^{\lambda_1 \xi} + a_2 e^{\lambda_2 \xi}] , & \xi > 0 \\ \left(\frac{p_0 R^2}{Eh}\right) [a_3 e^{\lambda_3 \xi} + a_4 e^{\lambda_4 \xi}] , & \xi < 0 . \end{cases} \quad (2.5)$$

The λ_j are the roots of

$$\left(\frac{EI}{a^4} - \frac{\rho I}{a^2}\right)\lambda^4 + h\left(\rho + \frac{\sigma}{a^2}\right)\lambda^2 + \rho_f a \lambda + \frac{Eh}{R^2} = 0, \quad (2.6)$$

and the a_j are given by¹

$$a_j = \prod_{k \neq j} \frac{\lambda_k}{\lambda_j - \lambda_k}. \quad (2.7)$$

Equations (2.5) and (2.7) are valid, of course, only if the λ_j are distinct and are such that λ_1, λ_2 have negative real parts, and λ_3, λ_4 have positive real parts.

An example of some interest is one for which:

$$R = 8', \quad h = 1'', \quad a = 5000' / \text{sec}, \quad E/\rho = (17,000' / \text{sec})^2,$$

$$\sigma = 25,000 \text{ #/in}^2, \quad \rho_f/\rho = 1/8, \quad E = 3 \cdot 10^7 \text{ #/in}^2.$$

For these dimensions (in units, sec^{-1}), $\lambda_1 = -650$,

$\lambda_2 = -7500$, $\lambda_{3,4} = 7300 \pm 66000i$. The coefficient, $-a_1$, is

1. These are chosen so that u, u', u'', u''' , are continuous at $\xi = 0$.

near unity and $|a_2| = O(|\lambda_1/\lambda_2|)$, $|a_3| = O(|\lambda_1\lambda_2/2\lambda_3^2|)$.

The quantities of interest are w and w''/a^2 since these are directly related to the hoop and bending stresses, respectively. The orders of magnitude of these terms are given by

$$|w|_{\max} = -p_0 R^2 / Eh$$

$$|w''/a^2|_{\max} = O[\lambda_1 \lambda_2 p_0 R^2 / Eha^2].$$

It is now convenient to turn to the second basic solution of Eq. (2.3). We wish, in fact, to find the deformation of the shell which is associated with the conditions $p_0 = 0$, $u(x,t) = 0$ for $t < 0$, $u(0,t) = f(t)$, and $u'(0,t) = 0$. It is evident that a combination of this solution with the foregoing will allow a treatment of practical problems wherein the shell is supported in one manner or another.

Our purpose is most readily accomplished by introducing the Laplace transform of u ,

$$\bar{u}(x,s) = \int_0^\infty e^{-st} u(x,t) dt.$$

The conventional use of this transform leads to the equation

$$E\bar{u}^{IV} + (\sigma h - \rho I s^2)\bar{u}'' + (\rho h s^2 + \rho_f a s + Eh/R^2)\bar{u} = 0.$$

The pertinent solution of this ordinary differential equation is

$$\bar{u}(x,s) = \frac{\bar{f}(s)}{\eta_2 - \eta_1} [\eta_2(s)e^{-\eta_1 x} - \eta_1(s)e^{-\eta_2 x}]. \quad (2.8)$$

Here, $\bar{f}(s)$ is the transform of the given motion $u(0,t)$, and

$$\eta_{1,2}(s) = [M \pm (M^2 - N)^{1/2}]^{1/2},$$

where

$$-M = (\sigma h - \rho I s^2)/2EI, N(s) = (\rho h s^2 + \rho_f a s + \frac{Eh}{R^2})/EI.$$

This transform would be rather difficult to invert with any degree of precision but the most useful piece of information is readily extracted. The deformation (and stress) of major concern is that associated with the bending near $x = 0$. However, using Eq. (2.8),

$$\bar{u}_{xx}(0, s) = - N^{1/2} f \quad (2.9)$$

and this can be inverted to give

$$u_{xx}(0, t) = - (\rho h/EI)^{1/2} L[f(t)], \quad (2.10)$$

where $L[f(t)]$ can be written

$$\begin{aligned} L[f(t)] &= f_t + \alpha f - k^2 \int_0^t e^{-\alpha(t-\tau)} \frac{I_1[k(t-\tau)]}{k(t-\tau)} f(\tau) d\tau \\ &= f_t + \epsilon f + k \int_0^t e^{-\alpha(t-\tau)} (I_0[k(t-\tau)] + I_1[k(t-\tau)]) \{f'(\tau) + \epsilon f(\tau)\} d\tau. \end{aligned} \quad (2.11)$$

The essential feature of this result is that each of the integrals in Eqs. (2.11) is positive when $f(t)$ and $f'(t)$ are positive in the time interval of interest, e.g., for $0 < t < t_0$. Thus,

$$- (EI/\rho h)^{1/2} u_{xx}(0, t)$$

lies between the values $f_t + \epsilon f$ and $f_t + \alpha f$ where ϵ is the smaller root of $N(s)=0$, $2k$ is the positive difference of the two roots, and 2α is the sum of the roots, i.e., $\rho_f a/\rho h$. In the example used earlier, $\alpha \simeq 3750 \text{ sec}^{-1}$ and $\epsilon \simeq 650 \text{ sec}^{-1}$.

3. Properties of the foregoing results. Some general observations associated with the work of section (2) can now be stated. We note first that the rotational inertia term has a negligible effect on the solution of the first problem. In fact, its inclusion affects the size of λ_3 and λ_4 by about 5% and λ_1 and λ_2 not at all. In the latter result, this term has no effect whatever (rigorously). The deformation at $x \neq 0$ may be affected by this term (must be, in fact) but at $x = 0$, no contribution of this item is present. As a matter of fact, a simple boundary layer type analysis will demonstrate that only near $x = (E/\rho)^{1/2} t$ and for $x > (E/\rho)^{1/2} t$ can this term seriously modify the result.

We should also note that, for a beam vibration problem of this type, the terms in u and u_t would be absent and $u_{xx}(0,t)$ is precisely given by

$$u_{xx}(0,t) = - (\rho h/EI)^{1/2} u_t(0,t). \quad (3.1)$$

We should also note that the term representing the axial membrane contribution (i.e., $\sigma u''$) plays a completely negligible role. This is fortunate for the investigator since, in many problems of interest, σ will vary considerably during the interesting time interval². If σ were to exceed the yield stress, of course, this remark (and the foregoing analysis, as well) would be invalid. Note, however, that during the deformation, the axial membrane deformation contributed by the bending is such as to decrease the value of σ .

2. As implied earlier, all of our remarks apply to the time interval where u and u_t are positive.




Fig. 1

Distribution List
for
Technical and Final Reports Issued Under
Office of Naval Research Project NR-360-364, Contract N7onr-35810

I: Administrative, Reference and Liaison Activities of ONR

Chief of Naval Research Department of the Navy Washington 25, D. C. Attn: Code 438 (2) Code 432 (1) Code 466(via Code 103)(1)	Commanding Officer Office of Naval Research Branch Office 1000 Geary Street San Francisco, California (1)
Director, Naval Research Lab. Washington 25, D. C. Attn: Tech. Info. Officer (9) Technical Library (1) Mechanics Division (2)	Commanding Officer Office of Naval Research Branch Office 1030 Green Street Pasadena, California (1)
Commanding Officer Office of Naval Research Branch Office 495 Summer Street Boston 10, Mass. (2)	Officer in Charge Office of Naval Research Branch Office, London Navy No. 100 FPO, New York, N.Y. (5)
Commanding Officer Office of Naval Research Branch Office 346 Broadway New York 13, New York (1)	Library of Congress Washington 25, D. C. (2) Attn: Navy Research Section
	Commanding Officer Office of Naval Research Branch Office 844 N. Rush Street Chicago 11, Illinois (1)

II: Department of Defense and other interested Gov't. Activities

a) General

Research & Development Board
Department of Defense
Pentagon Building
Washington 25, D. C.
Attn: Library(Code 3D-1075) (1)

Armed Forces Special Weapons
Project
P.O. Box 2610
Washington, D. C.
Attn: LtCol. G.F. Blunda (2)

Joint Task Force 3
12St. & Const. Ave., N.W.
(Temp. U)
Washington 25, D.C.
Attn: Major B.D. Jones (1)

b) Army

Chief of Staff
Department of the Army
Research & Development Div.
Washington 25, D. C.
Attn: Chief of Res.&Dev. (1)

Office of the Chief of Engineers
Assistant Chief for Works
Department of the Army
Bldg. T-7, Gravelly Point
Washington 25, D.C.
Attn: Structural Branch
(R.L. Bloor) (1)

Engineering Research and
Development Laboratory
Fort Belvoir, Virginia
Attn: Structures Branch (1)

Distribution List

2

Army (cont.)

Office of the Chief of Engineers Asst. Chief for Military Construction Department of the Army Bldg. T-3, Gravelly Point Washington 25, D. C. Attn: Structures Branch (M. F. Carev)	Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attn: Director of Research Code 423 Code 442 Code 421	(2) (1) (1) (1)
Protective Construction Branch (I. O. Thornley)	Director, David Taylor Model Basin Department of the Navy Washington 7, D. C. Attn: Code 720, Structures Division Code 740, Hi-Speed Dynamics Div.	(1) (1) (1) (1)
Office of the Chief of Engineers Asst. Chief for Military Operations Department of the Army Bldg. T-7, Gravelly Point Washington 25, D. C. Attn: Structures Development Branch (W.F. Woollard)	Commanding Officer Underwater Explosions Research Div. Code 290 Norfolk Naval Shipyard Portsmouth, Virginia	(1) (1) (1)
U.S. Army Waterways Experiment Station P. O. Box 631 Halls Ferry Road Vicksburg, Mississippi Attn: Col. H. J. Skidmore	Commander Portsmouth Naval Shipyard Portsmouth, N. H. Attn: Design Division	(1) (1)
The Commanding General Sandia Base, P. O. Box 5100 Albuquerque, New Mexico Attn: Col. Canterbury	Director, Materials Laboratory New York Naval Shipyard Brooklyn 1, New York	(1) (1)
Operations Research Officer Department of the Army Ft. Lesley J. McNair Washington 25, D. C. Attn. Howard Brackney	Chief, Bureau of Ordnance Department of the Navy Washington 25, D. C. Attn: Ad-3, Technical Library Rec, P. H. Girouard	(1) (1) (1) (1)
Office of Chief of Ordnance Office of Ordnance Research Department of the Army The Pentagon Annex #2 Washington 25, D. C. Attn: ORDTB-PS	Naval Ordnance Laboratory White Oak, Maryland RFD 1, Silver Spring, Maryland Attn: Mechanics Division Explosive Division Mech. Evaluation Div.	(1) (1) (1) (1) (1)
Ballistics Research Laboratory Aberdeen Proving Ground Aberdeen, Maryland Attn: Dr. C. W. Lampson	Commander U.S. Naval Ordnance Test Station Inyokern, California Post Office - China Lake, Calif. Attn: Scientific Officer	(1) (1)
c) Navy Chief of Naval Operations Department of the Navy Washington 25, D. C. Attn: OP-31 OP-363	Naval Ordnance Test Station Underwater Ordnance Division Pasadena, California Attn: Structures Division	(1) (1)

Distribution List

3

Navy (cont.)

d) Air Forces

Chief, Bureau of Aeronautics
Department of the Navy
Washington 25, D.C.
Attn: TD-41, Technical Library
(1)

Commanding General
U.S. Air Force
The Pentagon
Washington 25, D. C.
Attn: Res.& Development Div.(1)

Chief, Bureau of Ships
Department of the Navy
Washington 25, D. C.
Attn: Code P-314
Code C-313
(1)
(1)

Deputy Chief of Staff, Operations
Air Targets Division
Headquarters, U.S. Air Force
Washington 25, D. C.
Attn: AFOIN-T/PV
(1)

Officer in Charge
Naval Civil Engr. Research &
Evaluation Laboratory
Naval Station
Port Hueneme, California
(1)

Office of Air Research
Wright-Patterson Air Force Base
Dayton, Ohio
Attn: Chief, Applied Mechanics
Group
(1)

Superintendent
U.S. Naval Post Graduate School
Annapolis, Maryland
(1)

e) Other Government Agencies

U.S. Atomic Energy Commission
Division of Research
Washington, D. C.
(1)

Director, National Bureau of
Standards
Washington 25, D. C.
Attn: Dr. W.H. Ramberg
(1)

Supplementary Distribution List

Addressee	<u>No. of Copies</u>	
	<u>Unclassified</u> <u>Reports</u>	<u>Classified</u> <u>Reports</u>
Professor Lynn Beedle Fritz Engineering Laboratory Lehigh University Bethlehem, Pennsylvania	1	-
Professor R.L. Bisplinghoff Dept. of Aeronautical Engineering Massachusetts Institute of Technology Cambridge 39, Massachusetts	1	1
Professor Hans Bleich Dept. of Civil Engineering Columbia University Broadway at 117th St. New York 27, New York	1	1

Distribution List

4

Addressee	Unclassified Reports	Classified Reports
Professor B.A. Boley Dept. of Aeronautical Engineering Ohio State University Columbus, Ohio	1	-
Professor G.F. Carrier 309 Pierce Hall Harvard University Cambridge, Massachusetts	1	1
Professor R.J. Dolan Dept. of Theoretical & Applied Mechanics University of Illinois Urbana, Illinois	1	-
Professor Lloyd Donnell Department of Mechanics Illinois Institute of Technology Technology Center Chicago 16, Illinois	1	-
Professor A.C. Eringen Illinois Institute of Technology Department of Mechanics Technology Center Chicago 16, Illinois	1	-
Professor B. Fried Dept. of Mechanical Engineering Washington State College Pullman, Washington	1	-
Mr. Martin Goland Midwest Research Institute 4049 Pennsylvania Avenue Kansas City 2, Missouri	1	-
Dr. J.N. Goodier School of Engineering Stanford University Stanford, California	1	-
Professor R.M. Hermes College of Engineering University of Santa Clara Santa Clara, California	1	1
Professor R.J. Hansen Dept. of Civil & Sanitary Engineering Massachusetts Institute of Technology Cambridge 39, Massachusetts	1	1

Distribution List

5

Addressee	Unclassified Reports	Classified Reports
Professor M. Hetenyi Walter P. Murphy Professor Northwestern University Evanston, Illinois	1	-
Dr. N.J. Hoff, Head Department of Aeronautical Engineering & Applied Mechanics Polytechnic Institute of Brooklyn Brooklyn 2, New York	1	1
Dr. J.H. Hollomon General Electric Research Laboratories 1 River Road Schenectady, New York	1	-
Dr. W.H. Hoppmann Department of Applied Mechanics Johns Hopkins University Baltimore, Maryland	1	1
Professor L.S. Jacobsen Department of Mechanical Engineering Stanford University Stanford, California	1	1
Professor J. Kempner Department of Aeronautical Engineering and Applied Mechanics Polytechnic Institute of Brooklyn 99 Livingston Street Brooklyn 2, New York	1	1
Professor George Lee Department of Aeronautical Engineering Rensselaer Polytechnic Institute Troy, New York	1	-
Professor Paul Lieber Department of Aeronautical Engineering Rensselaer Polytechnic Institute Troy, New York	1	1
Professor Glen Murphy, Head Department of Theoretical & Applied Mechanics Iowa State College Ames, Iowa	1	-
Professor N.M. Newmark Department of Civil Engineering University of Illinois Urbana, Illinois	1	1

Distribution List

6

Addressee	<u>Unclassified Reports</u> _____	<u>Classified Reports</u> _____
Professor Jesse Ormondroyd University of Michigan Ann Arbor, Michigan	1	-
Dr. W. Osgood Armour Research Institute Technology Center Chicago, Illinois	1	-
Dr. R.P. Petersen, Director Applied Physics Division Sandia Laboratory Albuquerque, New Mexico	1	1
Dr. A. Phillips School of Engineering Stanford University Stanford, California	1	-
Dr. W. Prager Graduate Division of Applied Mathematics Brown University Providence 12, R. I.	1	1
Dr. S. Raynor Armour Research Foundation Illinois Institute of Technology Chicago, Illinois	1	-
Professor E. Reissner Department of Mathematics Massachusetts Institute of Technology Cambridge 39, Massachusetts	1	-
Professor M.A. Sadowsky Illinois Institute of Technology Technology Center Chicago 16, Illinois	1	-
Professor V.L. Salerno Department of Aeronautical Engineering Renssalaer Polytechnic Institute Troy, New York	1	1
Professor M.G. Salvadori Department of Civil Engineering Columbia University Broadway at 117th Street New York 27, New York	1	-
Professor J.E. Stallmeyer Talbot Laboratory Department of Civil Engineering University of Illinois Urbana, Illinois	1	1

Distribution List

7

Addressee	<u>Unclassified Reports</u>	<u>Classified Reports</u>
Professor E. Sternberg Illinois Institute of Technology Technology Center Chicago 16, Illinois	1	-
Professor R. G. Sturm Purdue University Lafayette, Indiana	1	-
Professor F. K. Teichmann Department of Aeronautical Engineering New York University University Heights, Bronx New York, N. Y.	1	-
Professor C. T. Wang Department of Aeronautical Engineering New York University University Heights, Bronx New York, N. Y.	1	-
Project File	2	2
Project Staff	5	-
For possible future distribution by the University	10	-
To ONR Code 438, for possible future distribution	-	10